

TORNADO® Rotary Lobe Pumps

T.Sano® – The new face in the food and beverage industry



TORNADO® Rotary Lobe Pumps T.Sano®

Designed for applications in the food and beverage industry

NO DEAD AREAS

SERVICE FRIENDLY

**EXCELLENT CIP
CLEANABILITY**



ECONOMIC

RELIABLE



The most suitable solution for each application

The demands in applications in the food and beverage industry require various pump systems. NETZSCH rotary lobe and progressing cavity pumps, as well as grinders, provide the optimum solution for your process.

For some applications the use of either rotary lobe or progressing cavity pump is potentially possible. NETZSCH as producer of both pump technologies is ideally positioned to offer impartial and qualified advice, which pump technology is best suited to your application.

COMPACT

**GENTLE MEDIA HANDLING AND
LOW PULSATION**

TORNADO® T.Sano® – the right choice for your application


NETZSCH TORNADO® Rotary Lobe Pumps T.Sano® – Operating Parameters

Range	Model	Flowrate at nominal speed range (theoretical)	Speed (nominal) recommended range	Flowrate at max. speed (theoretical)	Speed max.
		appr. m ³ /h	rpm	m ³ /h	rpm
T2	08/45	8 to 39	100 to 500	46	600
T2	06/70	12 to 58	100 to 500	70	600
T2	08/100	16 to 82	100 to 500	99	600
T2	06/140	24 to 119	100 to 500	142	600



Discharge pressure (max.) continuous/ intermitted	Displacement (theoretical)	Connections	Pump head materials (wetted)
bar	l/r	mm	material
8/10	1,27	80	all metall
6/8	1,90	100	all metall
8/10	2,74	125	all metall
6/8	3,95	125	all metall

- 1 Rotor setting device
- 2 Front cover
- 3 Rotor
- 4 Seal
- 5 Rotor case
- 6 Bearing housing
- 7 Tooth belt drive




TORNADO® Rotary Lobe Pumps – totally reliable everywhere

Special pump head design to minimize pulsation and prevent dead areas.
Lobes are fixed outside pump housing.



Concentrated fruit juice. Flowrate
appr. 20 m³/h at 2 bar. Temperature
appr. 8°C. Pump is run in batch
operation and periodically cleaned





Synchronisation and drive via maintenance free tooth belt drive. Compact pump runs completely oil free.



Mobile pumps: For applications in the food and beverage industry, where mobility and flexibility are required. Mobile units are designed to meet customer specification and requirement.

The NETZSCH Group is a mid-sized, family-owned German company engaging in the manufacture of machinery and instrumentation with worldwide production, sales, and service branches.

The three Business Units – Analyzing & Testing, Grinding & Dispersing and Pumps & Systems – provide tailored solutions for highest-level needs. Over 2,700 employees at 140 sales and production centers in 27 countries across the globe guarantee that expert service is never far from our customers.

The NETZSCH Business Unit Pumps & Systems offers with NEMO® progressing cavity pumps, TORNADO® rotary lobe pumps, screw pumps, macerators/grinders, dosing systems and equipment custom built and challenging solutions for different applications on a global basis.

NETZSCH Rotary Lobe Team

Tel.: + 49 8638 63-2400

Fax: + 49 8638 63-92400

info.tornado@netzsch.com

www.netzsch.com

NETZSCH Pumpen & Systeme GmbH

Geretsrieder Straße 1

84478 Waldkraiburg

Germany

BLUECOMPETENCE

Alliance Member

Partner of the Engineering Industry
Sustainability Initiative